

NEMATHELMINTHES: NEMATODA

Phylum **NEMATHELMINTHES**Class **NEMATODA**

Order ENOPLOIDEA

Family **Leptosomatidae**

ANTICOMA LIMALIS Bastian [*Stekhoven*, 1935, p. b6]

Wembury Bay, Church Reef, on Ascophyllum, probably this species (J.S.C. det. H.A.B.): on seaweeds from Tinside, common (W.Wi.)

ANTICOMA PELLUCIDA Bastian [*Stekhoven*, 1935, p. b6]

On seaweeds from Tinside, rare (W.Wi.)

LEPTOSOMATUM ELONGATUM Bastian [*de Man*, 1893, p. 102]

Among hydroids (J.H.S.S.)

LEPTOSOMATUM BACILLATUM (Eberth, 1863, p. 19)

On seaweeds from Tinside, rare (W.Wi.)

LEPTOSOMATUM sp.

Wembury Bay, Church Reef, immature, in holdfasts of *Laminaria digitata* (J.S.C. det. H.A.B.)

THORACOSTOMA FIGURATUM (Bastian) [*Stekhoven*, 1935, p. b12]

Among hydroids (J.H.S.S.): Wembury Bay, Church Reef, among holdfasts of *Laminaria digitata* and Ascophyllum, common (J.S.C. det. H.A.B.): On seaweeds from Tinside (W.Wi.)

THORACOSTOMA (PSEUDOCELLA) TRICHODES (Leuckart) [*Stekhoven*, 1935, p. b12]

On seaweeds from Tinside (W.Wi.)

Family **Oxystomatidae**

THALASSOALAIMUS TARDUS de Man [*Stekhoven*, 1935, p. b16]

On seaweeds from Tinside, rare (W.Wi.)

TREFUSIA LONGICAUDA de Man [*Stekhoven*, 1935, p. b16]

On seaweeds from Tinside, rare (W.Wi.)

HALALAIMUS GRACILIS de Man [*Stekhoven*, 1935, p. b21]

On seaweeds from Tinside, rare (W.Wi.)

Family **Phanodermatidae**

PHANODERMA ALBIDUM Bastian [*Stekhoven*, 1935, p. b25]

On seaweeds from Tinside (W.Wi.)

Family **Enoplidae**

ENOPLUS COMMUNIS Bastian [*Stekhoven*, 1935, p. b26]

Tide-pools, Plymouth, immature, 7.4.13 (F.H.S.): on Corallina and Cladophora, Wembury Bay, Church Reef, Jan. 1930 (J.S.C.): on seaweeds from Tinside, most abundant of all species (W.Wi.)

Family **Ironidae**

DOLICHOAIMUS MARIONI de Man [*Stekhoven*, 1935, p. b36]
On seaweeds from Tinside (W.Wi.)

SYRINGOAIMUS STRIATICAUDATUS de Man [*Stekhoven* 1935, p. b38]
On seaweeds from Tinside (W.Wi.)

Family **Oncholaimidae**

KRAMPIA ACROPORA Ditlevsen [*Stekhoven*, 1935, p. b42]
On seaweeds from Tinside (W.Wi.)

ONCHOLAIMELLUS DIODON Wieser, 1951, p. 449
On seaweeds from Tinside (W.Wi.)

PONTONEMA VULGARE (Bastian) [*Stekhoven*, 1935, p. b46]
Between tide-marks, 28.7.30 (M.V.L. det. H.A.B.): among hydroids (J.H.S.S.): on seaweeds from Tinside (W.Wi.)

PONTONEMA DITLEVSENI (de Coninck and Schuurmans Stekhoven, in Stekhoven, 1935, p. b44)
Wembury Bay, Church Reef, among *Fucus serratus*, immature numerous (J.S.C., det. H.A.B.)

PONTONEMA DONSI (Allgén) [*Schneider*, 1939, p. 78]
On seaweeds from Tinside (W.Wi.)

VISCOSIA VISCOSA (Bastian) [*Stekhoven*, 1935, p. b47]
Tamar Estuary, in mud (P.R.C.)

ADONCHOLAIMUS FUSCUS (Bastian) [*Stekhoven*, 1935, p. b49]
Rum Bay, between tide-marks in shingly mud, common, July-Aug. 1930 (M.V.L. det. N.A.C.)

ONCHOLAIMUS BRACHYCERCUS de Man [*Stekhoven*, 1935, p. b51]
Among hydroids (J.H.S.S.): Wembury Bay, Church Reef, among *Ascophyllum*, numerous (J.S.C., det. H.A.B.)

ONCHOLAIMUS DUJARDINI de Man [*Steiner*, 1915, p. 237]
On seaweeds from Tinside (W.Wi)

METONCHOLAIMUS ALBIDUS (Bastian) [*Stekhoven*, 1935, p. b53]
Among hydroids (J.H.S.S.)

METONCHOLAIMUS DEMANI (zur Strassen) [*Stekhoven*, 1950, p. 63]
On seaweeds from Tinside (W.Wi.)

Family **Enchelidiidae**

EURYSTOMINA FILIFORMIS de Man [*Stekhoven*, 1935, p. b57]
On seaweeds from Tinside, rare (W.Wi.)

NEMATHELMINTHES: NEMATODA

SYMPLOCOSTOMA LONGICOLLE Bastian [*Stekhoven*, 1935, p. b59]

Wembury Bay, Church Reef, in holdfasts of *Laminaria digitata*, and among *Ascophyllum* and *Fucus serratus* (J.S.C., det. H.A.B.): on seaweeds from Tinside (W.Wi.)

CATALAIMUS MAXWEBERI de Man [*Stekhoven*, 1935, p. b60]

On seaweeds from Tinside (W.Wi.)

Order CHROMADOROIDEA

Family **Cyatholaimidae**

CYATHOLAIMUS DEMANI Filipjev [*Stekhoven*, 1935, p. b66]

On seaweeds from Tinside, common (W.Wi.)

CYATHOLAIMUS PUNCTATUS Bastian [*Stekhoven*, 1935, p. b66]

Tamar Estuary, in mud (P.R.C.)

PARACANTHONCHUS KREISI Allgén [*Stekhoven*, 1935, p. b68]

On seaweeds from Tinside, rare (W.Wi.)

PARACANTHONCHUS CAECUS (Bastian) [*Stekhoven*, 1935, p. b69]

On seaweeds from Tinside (W.Wi.)

Family **Choanolaimidae**

HALICOANOLAIMUS ROBUSTUS (Bastian) [*Stekhoven*, 1935, p. b70]

On seaweeds from Tinside (W.Wi.)

Family **Desmodoridae**

DESMODORA SERPENTULUS de Man [*Stekhoven*, 1935, p. b72]

On seaweeds from Tinside (W.Wi.)

DESMODORA SCALDENSIS de Man [*Stekhoven*, 1935, p. b75]

On seaweeds from Tinside (W.Wi.)

MONOPOSTHIA COSTATA (Bastian) [*Stekhoven*, 1935, p. b75]

On seaweeds from Tinside (W.Wi.)

METACHROMADORA VIVIPARA (de Man) [*Stekhoven*, 1935, p. b75]

Tamar Estuary, in mud (P.R.C.)

XENODESMODORA PORIFERA Wieser, 1951, p. 451

On seaweeds from Tinside, rare (W.Wi.)

Family **Microlaimidae**

CRASSOLAIMUS BIPAPILLATUS Wieser, 1951, p. 453

On seaweeds from Tinside, rare (W.Wi.)

Family **Comesomatidae**

PARASABATIERA SIMILIS Allgén 1933, p. 120

On seaweeds from Tinside, rare (W.Wi.)

Family **Chromadoridae**

SPILOPHORELLA PARADOXA (de Man) [*Stekhoven*, 1935, p. b82]
On seaweeds from Tinside, common (W.Wi.)

SPILIPHERA GRACILICAUDA (de Man, 1893, p. 91)
On seaweeds from Tinside (W.Wi.)

CHROMADOROPSIS PARVA (de Man, 1893, p. 89)
On seaweeds from Tinside (W.Wi.)

CHROMADOROPSIS MICROLAIMA (de Man) [*Wieser*, 1951, p. 461]
On seaweeds from Tinside (W.Wi.)

EUCHROMADORA VULGARIS (Bastian) [*Stekhoven*, 1935, p. b87]
On seaweeds from Tinside, common (W.Wi.)

HYPODONTOLAIMUS INAEQUALIS (Bastian) [*Stekhoven*, 1935, p. b89]
On seaweeds from Tinside (W.Wi.)

PROCHROMADORELLA NEAPOLITANA (de Man) [*Micoletzky*, 1922, p. 85]
On seaweeds from Tinside, below M.L.W. (W.Wi.)

PROCHROMADORELLA MEDITERRANEA (*Micoletzky*, 1922, p. 81)
On seaweeds from Tinside, rare (W.Wi.)

PROCHROMADORELLA PARAMUCRODONTA (Allgén) [*Wieser*, 1951, p. 457]
On seaweeds from Tinside (W.Wi.)

PROCHROMADORELLA MACRO-OCELLATA Wieser, 1951, p. 458
On seaweeds from Tinside (W.Wi.)

PROCHROMADORELLA OBTUSIDENS (Schuurmans-Stekhoven and Adam) [*Wieser*, 1951, p. 459]
On seaweeds from Tinside (W.Wi.)

CHROMADORELLA PARAPOECILOSOMA (*Micoletzky*) [*Wieser*, 1951, p. 460]
On seaweeds from Tinside (W.Wi.)

NEOCHROMADORA POECILOSOMOIDES Filipjev [*Wieser*, 1951, p. 463]
On seaweeds from Tinside, most abundant below M.L.W. (W.Wi.)

CHROMADORA NUDICAPITATA (Bastian) [*Stekhoven*, 1935, p. b97]
On seaweeds from Tinside, very numerous (W.Wi.)

CHROMADORA BREVIPAPILLATA *Micoletzky* [*Wieser*, 1951, p. 463]
On seaweeds from Tinside, possibly synonymous with species above (W.Wi.)

CHROMADORA MACROLAIMA de Man, 1889, p. 197
On seaweeds from Tinside (W.Wi.)

CHROMADORINA GERMANICA (Bütschli) [*Wieser*, 1951, p. 466]
On seaweeds from Tinside, numerous (W.Wi.)

CHROMADORINA GRANULO-PIGMENTATA Wieser, 1951, p. 466
On seaweeds from Tinside (W.Wi.)

NEMATHELMINTHES: NEMATODA

CHROMADORINA CERVIX Wieser, 1951, p. 468
 On seaweeds from Tinside, rare (W.Wi.)

Order AXONOLAIMOIDEA

Family **Axonolaimidae**

ODONTOPHORA SETOSA (Allgén) [Stekhoven, 1935, p. b109]
 On seaweeds from Tinside, rare (W.Wi.)

Family **Araeolaimoides**

ARAEOLAIMOIDES PAUCISETOSUS Wieser, 1951, p. 473
 On seaweeds from Tinside, rare (W.Wi.)

Family **Camacolaimidae**

CAMACOLAIMUS TARDUS de Man [Stekhoven, 1935, p. b116]
 On seaweeds from Tinside (wars.)

CAMACOLAIMUS CONICAUDATUS Allgén [Wieser, 1951, p. 474]
 On seaweeds from Tinside (W.Wi.)

Family **Halaphanolaimidae**

DERMATOLAIMUS MEMBRANATUS Weiser, 1951, p. 475
 On seaweeds from Tinside (W.Wi.)

Order MONHYSTEROIDEA

Family **Limhomoeidae**

LINHOMOEUS ELONGATUS (Bastian) [Stekhoven, 1935, p. b131]
 On seaweeds from Tinside (W.Wi.)

PARALINHOMOEUS LEPTURUS de Man [Stekhoven, 1935, p. b133]
 On seaweeds from Tinside, rare (W.Wi.)

METALINHOMOEUS TYPICUS de Man [Stekhoven, 1935, p. b127]
 On seaweeds from Tinside, rare (W.Wi.)

Family **Monhysteridae**

THERISTUS SETOSUS (Bütschli) [Stekhoven, 1935, p. b138]
 Tamar Estuary, in mud (P.R.C.): on seaweeds from Tinside (W.Wi.)

THERISTUS OXYCERCA (de Man) [Stekhoven, 1935, p. b139]
 Tamar Estuary, in mud (P.R.C.)

THERISTUS NORMANDICUS (de Man) [Stekhoven, 1935, p. b141]
 On seaweeds from Tinside, rare (W.Wi.)

THERISTUS ACER Bastian [Stekhoven, 1935, p. b141]
 On seaweeds from Tinside (W.Wi.)

THERISTUS sp.

On seaweeds from Tinside (W.Wi.)

MONOHYSTERA PARVA (Bastian) [Stekhoven, 1935, p. b145]

On seaweeds from Tinside (W.Wi.)

MONOHYSTERA LUISAE Bresslau and Schuurmans Stekhoven [Stekhoven, 1935, p. b145]

On seaweeds from Tinside (W.Wi.)

MONOHYSTERA REFRINGENS Bresslau and Schuurmans Stekhoven *var. BRITANNICA* Wieser, 1951, p. 478

On sea weeds from Tinside (W.Wi.)

MONOHYSTERA DISJUNCTA Bastian [Stekhoven, 1935, P. b145]

On seaweeds from Tinside (W.Wi.)

Family Sphaerolaimidae**SPHAEROLAIMUS HIRSUTUS** Bastian, [Stekhoven, 1935, p. 148]

Tamar Estuary, in mud (P.R.C.)

Order ASCAROIDEA**Family Ascaridae****ANACANTHOCHEILUS** sp.

In *Raia clavata* (J.S.S., det. H.A.B.)

CONTRACAECUM AUCTUM (Rudolphi) [Schneider, 1866, p. 47; Stefanski, 1936, p. 85]

In *Callionymus lyra* (J.S.S., det. H.A.B.) Recorded in 1931 Fauna List as *Ascaris aucta*, by F.H.S., from intestine of *Gadus pollachius*, 2.4.13, but the species seems more likely to have been *C. clavatum* (H.A.B.)

CONTRACAECUM CLAVATUM (Rudolphi) [Stekhoven, 1935, p. c15]

Stomach or intestine of *Conger conger*, *Gadus merlangus*, *Merluccius merluccius*, *Lophius piscatorius*, *Cottus bubalis*, *Zeus faber* (3 out of 4 specimens), *Capros aper*, *Mullus surmeletus*, May 1932 (H.A.B.); *Gadus merlangus*, *G. pollachius*, *G. callarias*, *Merluccius merluccius*, *Zeus faber*, *Lophius piscatorius* - (J.S.S., det. H.A.B.); *Cottus scorpius* (L.A.H., det. H.A.B.); immature, stomach of *Trigla lyra*, *Gadus merlangus*, *Lophius piscatorius* 20.3.33 (M.L.R., det. H.A.B.)

CONTRACAECUM RIGIDUM (Rudolphi) [Stekhoven, 1935, p. c16]

In tumours in stomach of *Lophius piscatorius*-2 out of 3 specimens, May 1932 (H.A.B.): 20.3.33 (M.L.R., det. H.A.B.) : (J.S.S., det. H.A.B.)

CONTRACAECUM larvae

Tissues of *Trigla gurnardus*, *T. cuculus*, *T. lineata*, *Gadus luscus*, *G. Minutus*, *Agonus cataphractus*, *Zeus faber*, *Molva molva*, *Cepola rubescens*, *Limanda limanda*, *Conger conger*, *Blennius ocellaris* (J.S.S., det. H.A.B.) stomach of *Cepola rubescens*, 22.3.33 (M.L.R., det. H.A.B.)

NEMATHELMINTHES: NEMATODA

PORROCAECUM or ANISAKIS larvae

Tissues of *Trigla gurnardus*, *Conger conger*, *Gadus luscus*, *G. pollachius*, *Lophius piscatorius*, *Zeus faber* (J.S.S., det. H.A.B.)

Order SPIRUROIDEA

Family **Spiruridae**

ASCAROPHIS MORRHUAE Van Beneden [Baylis, 1933a, p. 111]

Stomach of *Trigla lineata*, 24.5.32 (H.A.B.): *Agonus cataphractus* (J.S.S., det. H.A.B.)

PROLEPTUS OBTUSUS Dujardin [Lloyd, 1920, p. 449]

Stomach and intestine of *Scyliorhinus canicula* and *S. stellaris* (every specimen examined), May 1932 (H.A.B.): same hosts det. H.A.B.)

PROLEPTUS ROBUSTUS (Van Beneden) [Baylis, 1933b, p. 326]

Stomach of *Raia clavata* (3 out of 5 specimens), May 1932 (H.A.B.): *Raia clavata* (J.S.S., det. H.A.B.): *Mustelus mustelus* (L.A.H., det. H.A.B.)

Family **Cucullanidae**

CUCULLANUS HETEROCHROUS Rudolphi [Törnquist, 1931, p. 73]

Intestine or rectum of *Pleuronectes platessa* and *Solea solea*, May 1952 (H.A.B.) It was probably this species that was recorded in 1931 Fauna List as "Heterakis foveolata Rud.", by F.H.S., 3.4.13, from *P. platessa* (H.A.B.)

CUCULLANUS HIANS (Dujardin, 1845, p. 270)

Intestine of *Conger conger* and *Lophius piscatorius*, May 1932 (H.A.B.): (J.S.S., det. H.A.B.)

CUCULLANUS TRIPAPILLATUS (Gendre, 1926, p. 473)

Stomach of *Solea solea*, 20.3.33 (M.L.R., det. H.A.B.)

CUCULLANUS sp.

Intestine of *Labrus bergylta*, Sept. 1933 (M.L.R., det. H.A.B.)

CUCULLANUS sp.

Intestine of *Mullus surmuletus* (E.I.J., det. H.A.B.)

CUCULLANUS sp.

Intestine of *Mullus surmuletus*, May 1932 (H.A.B.)

Family **Philometridae**

PHIOMETRA GRAYI (Gemmill and Linstow, 1902, p. 113, as Ichthyonema)

Occasional in *Echinus esculentus* (G.M.S.)

PHIOMETRA sp.

Intestine of *Trigla cuculus*, May 1932 (H.A.B.)

Order TRICHUROIDEA

Family **Trichinellidae**

CAPILLARIA sp.

Spiral valve of *Scyliorhinus stellaris*, May 1932 (H.A.B.)

CAPILLARIA Sp.

Rectum of *Pleuronectes platessa*, May 1932 (H.A.B.)

Class ACANTHOCEPHALA

Family **Echinorhynchidae**

ECHINORHYNCHUS GADI Zoega, in Müller, 1776 [Meyer, 1932, p.152]

One specimen in intestine of *Spinachia spinachia* (1 of 4 specimens), May 1932 (H.A.B.)

ECHINORHYNCHUS (? LEIDYI Van Cleave, 1924, p. 289)

A pair in intestine of *Onos mustelus*, May 1932 (H.A.B.)

ACANTHOCEPHALOIDES PROPINQUUS (Dujardin) [Meyer, 1932, p.138]

Rectum of *Callionymus lyra*, 18.5.34 (M.L.R det. H.A.B.)

POMPHORHYNCHUS (? TERETICOLLIS (Rudolphi)) [Meyer, 1932, p. 165]

Intestine of *Gadus callarias* and *Gadus luscus* (J.S.S., det. H.A.B.)